

**2009 FXR 150R**



**PITSTERPRO**

PERFORMANCE PIT BIKES AND ATVS

PITSTERPRO.COM

 **PITSTER PRO**

**FOURCROSS150**  
**2009 FXR 150R**



FXR 150 R Features:

- GPX Moto 150cc engine
- Long travel Suspension
- Shocks with adjustable compression and rebound
- Dual Rate Springs
- Carlisle holeshot tires
- Tapered fat bars
- Nerf bars

MSRP: \$3,695

The Pitster Pro FXR is a revolutionary Mini ATV Racer that is redefining the youth racing classes. The FXR is available with three 4-stroke engine packages; 150cc, 125cc and 90cc. We wanted the FXR's suspension to compliment the power that the motors would be hammering down, we looked to specialist James Giddings of Giddings Machine Racing (GMR) to design a long travel chassis to maximize the FXR handling. Thanks to GMR the FXR is built to spec and compete in the GNCC racing series as a youth Supermini ATV and 125 Mod ATV.

USA Motor toys, LLC  
25 N. 1400 W. Suite A  
Lindon, UT. 84042

ph: 801-796-7416  
fax: 801-796-7421  
[www.pitsterpro.com](http://www.pitsterpro.com)  
[contact@pitsterpro.com](mailto:contact@pitsterpro.com)

**DEALERS WELCOME**

# 2009 FXR 150R


 **PITSTERPRO**




Suspension Travel  
9.8" front  
10" rear



Dual A-arm suspension with Dual Rate DNM Shocks  
Preload, compression and rebound adjustable standard



Sprocket and carrier guard



Nerf bars with oversized pegs

# FOURCROSS150

# 2009 FXR 150R

Specifications	FXR 150R
<b>Wheels</b>	
Front	12"
Rear	10"
CNC- Aluminum Alloy Hubs	No
<b>Tires- Maximum Traction "Motivity"</b>	
Front	6.5 x 12
Rear	7.25 x 10
<b>Frame</b>	
Swing Arm	Pro Style
Frame	Chromoly closed cradle frame
Removable sub-frame	Yes
3 point engine mount	Yes
<b>Suspension</b>	
Rear Suspension	Preload adjustable and Rebound Clicker
Front Suspension	Upper and Lower Control Arm
Suspension Travel Front/Rear	9.8"/10"
<b>Brakes</b>	
Front	210mm Rotor W/ Floating Caliper
Rear	190mm Rotor W/ Floating Caliper
Brake Pedal	Over the Peg
<b>Engine</b>	
Engine	GPX Moto 150 SOHC air cooled w/4-up manual transmission, 5 plate clutch, kick start, and lighting coil
Epa Certification/ California CARB	Competition Only
Carburetor Size	26mm
Air filter	Closed airbox
High Flow Exhaust	28mm
Compression ratio	9.2:1
Chain/Drive ratio	420/16:40
Oil Cooler	No
<b>Dimensions and Capacities</b>	
Overall Length	60"
Wheelbase	40"
Seat height	23.5" to 27"
Dry weight	195"
Ground clearance	8"
Fuel Capacity	3L
Oil Reservoir	95 L
<b>Features</b>	
Foot-Peags	HD Stainless Steel
Shifter	Steel
Oversized Alloy Chain Guide	Yes
Wave Rotor Hydraulic Disk Brakes	Yes (Non wave rotors)
Steel Braided Brake Lines	Yes
Built-in Reservoir Rear Brake Master Cylinder	Yes
CNC Fuel Cap & Exhaust Silencer	No/Yes
3M HD Graphics	Yes
Adjustable Handle Bar Clamps	Yes
<b>Build-A-Bike Options</b>	
Front fork Upgrade	Fox/Elka
Rear Shock Upgrade	Fox/Elka
ASV Inventions Unbreakable Levers Upgrade	Yes
Exhaust Options	N/A
Air Filter Upgrade	UNI / K&N
Holeshot Device Upgrade	N/A
<b>Pricing</b>	
MSRP	\$3,695

USA MotorToys, LLC  
 25 N. 1400 W. Suite A  
 Lindon, UT. 84042  
 ph: 801-796-7416  
 fax: 801-796-7421  
 www.pitsterpro.com  
 contact@pitsterpro.com